



## Certificate of Analysis

<b>Product Name:</b>	<b>Bio-Active Complete Multi-Vitamin for Men</b>
<b>SKU#</b>	101877
<b>Lot No:</b>	1115K2408
<b>Manufacturing Date</b>	11/2024
<b>Best By Date</b>	10/2027
<b>Fill Weight</b>	690.0 mg (621.0 mg – 759.0 mg)
<b>Final Weight</b>	790.0 mg (721.0 mg – 859.0 mg)
<b>Weight Variation &lt;USP 2091&gt;</b>	Each of the individual weights is within 90% - 110% of the average weight
<b>Serving Size:</b>	2 Capsules

### Each Serving Contains:

Test Items	Label Claim/Serving	Test Results	Test Methods
Vitamin A (as Beta Carotene)	NLT 1,125 mcg	1,125 mcg	N.TPN041
Vitamin C (as Acerola Juice Powder)	NLT 90 mg	90 mg	N.TPN041
Vitamin E (as D- Alpha Tocopheryl Succinate)	NLT 67 mg	67 mg	N.TPN041
Thiamin	NLT 10 mg	10 mg	N.TPN041
Riboflavin	NLT 4 mg	4 mg	N.TPN041
Niacin (as Niacinamide)	NLT 32 mg	32 mg	N.TPN041
Vitamin B6 (as Pyridoxine HCL)	NLT 25 mg	25 mg	N.TPN041
Folate (as L-Methylfolate)	NLT 348 mcg DFE	348 mcg DFE	N.TPN041
Vitamin B12 (as Methylcobalamin)	NLT 200 mcg	200 mcg	N.TPN041
Biotin	NLT 1,000 mcg	1,000 mcg	N.TPN041
Pantothenic Acid (as Calcium D- Pantothenate)	NLT 25 mg	25 mg	N.TPN041
Iodine (as Potassium Iodine)	NLT 150 mcg	150 mcg	N.TPN041
Zinc (as Zinc Citrate)	NLT 15 mg	15 mg	N.TPN041
Selenium (as Selenium L- Methionine)	NLT 100 mcg	100 mcg	N.TPN041
Manganese (as Manganese Citrate)	NLT 2.5 mg	2.5 mg	N.TPN041
Chromium (as Chromium Picolinate)	NLT 200 mcg	200 mcg	N.TPN041
Molybdenum (as Molybdenum Chelate)	NLT 50 mcg	50 mcg	N.TPN041
Potassium (as Potassium Citrate and Phosphate)	NLT 152 mg	152 mg	N.TPN041
Choline (as Choline Bitartrate)	NLT 25 mg	25 mg	N.TPN041
L-Glycine	NLT 30 mg	30 mg	N.TPN041
Lycopene	NLT 10 mg	10 mg	N.TPN041
Marigold Flower Extract (5 mg Lutein, 2 mg Zeaxanthin)	NLT 120 mg	120 mg	N.TPN041

**Other Ingredients:** Vegetable Capsule, Organic Rice Hulls.

MICROBIOLOGY	Specifications	Test Results	Test Methods
Total aerobic count	NMT 10,000 cfu/gm	Pass	Biolumix ML0701.1
Total Yeast & Mold Count	NMT 1,000 cfu/gm	Pass	Biolumix ML0701.2
Salmonella Species	Negative	Negative	Biolumix ML0701.3
E. Coli, Staphylococcus aureus	Negative	Negative	Biolumix ML0701.4

IMPURITIES	Specifications	Test Results	Test Methods
Arsenic (As)	NMT 1.5 mcg/Serving	Pass	MOA 308-67.00 ICP MS
Lead (Pb)	NMT 0.5 mcg/Serving	Pass	MOA 308-67.00 ICP MS
Cadmium (Cd)	NMT 0.5 mcg/Serving	Pass	MOA 308-67.00 ICP MS
Mercury (Hg)	NMT 3.0 mcg/Serving	Pass	MOA 308-67.00 ICP MS

Report Date:12/12/2024

Barbaro Guerrero

Quality Control Manager

Supplement Manufacturing Partner, Inc.  
The Most Responsive Manufacturer!  
1 Rodeo Drive, Edgewood, NY 11717